

**FICAM W WP80 8X500GR BOT GB**Version 3 / GB  
102000023381/8  
Revision Date: 23.02.2006  
Print Date: 06.07.2007**1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING****Product information**

Trade name FICAM W WP80 8X500GR BOT GB  
Product code (UVP) 05935598  
Usage insecticide  
Company Bayer Environmental Science  
230 Cambridge Science Park  
Milton Road  
Cambridge  
Cambridgeshire CB4 0WB  
Great Britain

Telephone +44(0)1223 226500  
Telefax +44(0)1223 426240  
Emergency telephone number 0800-220876 (UK 24 hr)  
+44(0)1603-242424 (Overseas 24 hr)

**2. COMPOSITION/INFORMATION ON INGREDIENTS****Chemical nature**

Wettable powder (WP)  
Bendiocarb 80%

**Hazardous components**

Chemical Name	CAS-No. / EINECS-No.	Symbol(s)	R-phrases(s)	Concentration [%]
Bendiocarb	22781-23-3 245-216-8	T, N	R21, R23/25, R50/53	80.00
Sodium alkylnaphthalene sulfonate		Xi	R36/38	> 1.00 - < 5.00
Alkylated naphthalene sulfonate, formaldehyde polymer, sodium salt	68425-94-5	Xi	R36/38	> 1.00 - < 5.00
Silica, amorphe	7631-86-9 231-545-4			> 5.00 - < 25.00

**3. HAZARDS IDENTIFICATION****Risk advice to man and the environment**

Harmful in contact with skin.  
Toxic by inhalation and if swallowed.  
Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**4. FIRST AID MEASURES****General advice**

Remove contaminated clothing immediately and dispose of safely.



## FICAM W WP80 8X500GR BOT GB

Version 3 / GB  
102000002338

2/8  
Revision Date: 23.02.2006  
Print Date: 06.07.2007

### Inhalation

Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.

### Skin contact

Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing and shoes immediately. Call a physician or poison control center immediately.

### Eye contact

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

### Ingestion

Call a physician or poison control center immediately. Rinse out mouth and give water in small gulps to drink. Induce vomiting only, if: 1. patient is fully conscious, 2. medical aid is not readily available, 3. a significant amount (more than a mouthful) has been ingested and 4. time since ingestion is less than 1 hour. (Vomit should not get into the respiratory tract).

### Notes to Physician

#### Symptoms

Local:, May cause irritation to skin and mucous membranes.

#### Symptoms

Systemic:, bradycardia/tachycardia, headache, sweating, discomfort in the chest, abdominal pain, muscle twitching, convulsions, breathing difficulties, blurred vision, nausea, lachrymation, salivation, flushing, dizziness, vomiting, diarrhoea, low blood pressure

#### Risks

This product contains an anticholinesterase compound. Do not use if under medical advice not to work with such compounds.

#### Treatment

Local treatment:

Initial treatment should be symptomatic and supportive.

#### Treatment

Systemic treatment:

Endotracheal intubation should be done and gastric lavage performed, followed by administration of charcoal.

Artificial respiration and/or oxygen may be necessary.

Against convulsions: give diazepam. For adults 5-10 mg intravenously as necessary until fully sedated; for children 2.5 mg i.v.

Treatment for adults: for all cases a high dose of atropine (2 to 4 mg) repeated every 10 to 15 minutes as needed.

Contraindications: oximes (pralidoxime, oblidoxime), succinyl choline, aminophylline

Contraindications: derivatives of morphine.

Recovery: spontaneous.

---

## 5. FIRE-FIGHTING MEASURES

### Suitable Extinguishing Media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### Extinguishing media which must not be used for safety reasons

high volume water jet

### Specific hazards during fire fighting

In case of fire the evolution of dangerous gases is possible.



**FICAM W WP80 8X500GR BOT GB**

Version 3 / GB  
102000002338

3/8  
Revision Date: 23.02.2006  
Print Date: 06.07.2007

**Special protective equipment for fire-fighters**

In the event of fire and/or explosion do not breathe fumes.  
Wear self contained breathing apparatus for fire fighting if necessary.

**Further information**

Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat.  
Whenever possible, contain fire-fighting water by diking area with sand or earth.

---

**6. ACCIDENTAL RELEASE MEASURES**

**Personal Precautions**

Keep people away from and upwind of spill/leak.  
Avoid dust formation.  
Avoid contact with spilled product or contaminated surfaces.  
When dealing with a spillage do not eat, drink or smoke.

**Environmental Precautions**

Do not discharge into the drains/surface water/groundwater.  
If spillage enters drains leading to sewage works inform local water company immediately.  
If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

**Methods for Cleaning Up**

Use approved industrial vacuum cleaner for removal.  
Keep in suitable, closed containers for disposal.  
Clean floors and contaminated objects with plenty of water.

**Additional Advice**

Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.  
Check also for any local site procedures.

---

**7. HANDLING AND STORAGE**

**Handling**

Advice on safe handling  
No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice.  
Avoid dust formation.  
Use only in area provided with appropriate exhaust ventilation.

Advice on protection against fire and explosion  
During processing, dust may form explosive mixture in air.

**Storage**

Requirements for storage areas and containers  
Keep container tightly closed in a dry and well-ventilated place.  
Store in a place accessible by authorized persons only.  
Keep away from heat.  
Keep away from direct sunlight.  
Protect against moisture.

Advice on common storage

**FICAM W WP80 8X500GR BOT GB**Version 3 / GB  
102000002338

4/8

Revision Date: 23.02.2006

Print Date: 06.07.2007

Keep away from food, drink and animal feedingstuffs.

Storage stability

Storage temperature 0 - 30 °C

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

**Components with workplace control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Silica, amorphe (Inhalable dust.)	7631-86-9	10 mg/m <sup>3</sup> (TWA)	2005	EH40 WEL
Silica, amorphe (Respirable dust.)	7631-86-9	4 mg/m <sup>3</sup> (TWA)	2005	EH40 WEL
Silica, amorphe (Inhalable dust.)	7631-86-9	6 mg/m <sup>3</sup> (TWA)	2005	EH40 WEL
Silica, amorphe (Respirable dust.)	7631-86-9	2.4 mg/m <sup>3</sup> (TWA)	2005	EH40 WEL

## Additional Advice

OES for bendiocarb 0.2 mg/m<sup>3</sup> (WHO)**Personal protective equipment**

## Respiratory Protection

Wear respirator conforming to EN149FFP3 or EN140P3. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

## Hand Protection

Wear CE Marked (or equivalent) nitrile rubber gloves (minimum thickness 0,40 mm). Wash when contaminated. Dispose of when contaminated inside, when perforated or when contamination outside cannot be removed. Wash hands always before eating, drinking, smoking or using the toilet.

## Eye protection

Wear goggles conforming to EN166 (Field of Use 5 or equivalent).

## Skin and body protection

Wear standard coverall and type 5 suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

## Hygiene measures

When using, do not eat, drink or smoke.  
Remove soiled clothing immediately.  
Remove soaked protective clothing immediately.  
Clean hands and face at work intervals and after work.  
Work in an adequately ventilated room.



## FICAM W WP80 8X500GR BOT GB

Version 3 / GB  
102000002338

5/8  
Revision Date: 23.02.2006  
Print Date: 06.07.2007

### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Appearance

Form	powder
Colour	beige
Odour	slight, specific odour

#### Safety data

Minimum Ignition Energy	30 - 100 mJ
Lower explosion limit	30 g/m <sup>3</sup>
Dust Explosion Class	St2
Bulk Density	ca. 250 kg/m <sup>3</sup>
Water Solubility	miscible
Other Information	Combustible solid product.

### 10. STABILITY AND REACTIVITY

Conditions to Avoid	Extremes of temperature and direct sunlight.
Materials to avoid	None.
Hazardous Reactions	No hazardous reactions when stored and handled according to prescribed instructions. Stable under normal conditions.

### 11. TOXICOLOGICAL INFORMATION

Acute Oral Toxicity	LD50 (rat) 179 mg/kg
Acute Inhalation Toxicity	LC50 (rat) 0.313 mg/l Exposure time: 6 h
Acute Dermal Toxicity	LD50 (rat) > 1,000 mg/kg
Skin Irritation	No skin irritation. (rabbit)
Eye Irritation	No eye irritation. (rabbit)
Sensitization	Non-sensitizing. (guinea pig) OECD Test Guideline 406, Magnusson & Kligman test

### 12. ECOLOGICAL INFORMATION

**Elimination information (persistence and degradability)**

**FICAM W WP80 8X500GR BOT GB**Version 3 / GB  
1020000023386/8  
Revision Date: 23.02.2006  
Print Date: 06.07.2007

Bioaccumulation Bluegill sunfish  
Bioconcentration factor (BCF): 6  
The value mentioned relates to the active ingredient bendiocarb.

**Ecotoxicity effects**

Toxicity to Fish LC50 (Rainbow trout (*Oncorhynchus mykiss*)) 0.87 mg/l  
Exposure time: 96 h

Toxicity to daphnia EC50 (Water flea (*Daphnia magna*)) 0.0377 mg/l  
Exposure time: 48 h  
The value mentioned relates to the active ingredient bendiocarb.

Toxicity to algae EC50 (*Pseudokirchneriella subcapitata*) 0.408 mg/l  
Exposure time: 48 h  
The value mentioned relates to the active ingredient bendiocarb.

---

**13. DISPOSAL CONSIDERATIONS****Product**

In accordance with current regulations may be taken to waste disposal site or incineration plant, after consultation with site operator and/or with the responsible authority.  
Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).

**Contaminated packaging**

Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using an integrated pressure rinsing device, or, by manually rinsing three times.  
Add washings to sprayer at time of filling.  
Dispose of empty and cleaned packaging safely.  
Large containers (> 25 l or > 25 kg) should not be rinsed or re-used for any other purpose.  
Return large containers to supplier.  
Follow advice on product label and/or leaflet.

**Waste key for the unused product**

020108 agrochemical waste containing dangerous substances

---

**14. TRANSPORT INFORMATION****ADR/RID/ADNR**

UN-No	<b>2757</b>
Labels	6.1
Packaging group	II
Hazard no.	60
Description of the goods	UN 2757 CARBAMATE PESTICIDE, SOLID, TOXIC (BENDIOCARB MIXTURE)

**IMDG**

UN-No	<b>2757</b>
Class	6.1
Packaging group	II
EmS	F-A , S-A
Marine pollutant	Marine pollutant

**FICAM W WP80 8X500GR BOT GB**Version 3 / GB  
1020000023387/8  
Revision Date: 23.02.2006  
Print Date: 06.07.2007Description of the goods CARBAMATE PESTICIDE, SOLID, TOXIC  
(BENDIOCARB MIXTURE )**IATA**UN-No **2757**  
Class 6.1  
Packaging group II  
Description of the goods CARBAMATE PESTICIDE, SOLID, TOXIC  
(BENDIOCARB MIXTURE )**UK 'Carriage' Regulations**UN-No **2757**  
Labels 6.1  
Packaging group II  
Hazard no. 60  
Emergency action code 2X  
Description of the goods UN 2757 CARBAMATE PESTICIDE, SOLID, TOXIC  
(BENDIOCARB MIXTURE )**15. REGULATORY INFORMATION**

This product has been classified in accordance with The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002: CHIP 3 and any subsequent amendments.

## Classification:

Labelling according to EEC Directive

Hazardous components which must be listed on the label:

- Bendiocarb

## Symbol(s)

T Toxic  
N Dangerous for the environment

## R-phrases(s)

R21 Harmful in contact with skin.  
R23/25 Toxic by inhalation and if swallowed.  
R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

## S-phrases(s)

S35 This material and its container must be disposed of in a safe way.  
S36/37 Wear suitable protective clothing and gloves.  
S45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).  
S57 Use appropriate container to avoid environmental contamination.

## CLASSIFICATION ACCORDING TO SPECIFIC UK REGULATIONS:

The labelling information below is that which has been approved under 'The Control of Pesticides Regulations 1986' and/or 'Part III of the Food and Environment Protection Act 1985' and/or 'Plant Protection Product Regulations 1999' and any subsequent amendments and may differ from that indicated by any toxicological and/or other testing otherwise indicated in this 'Safety Data Sheet'.

## Symbol(s)

T Toxic  
N Dangerous for the environment



## FICAM W WP80 8X500GR BOT GB

Version 3 / GB  
102000002338

8/8  
Revision Date: 23.02.2006  
Print Date: 06.07.2007

### R-phrases(s)

R23/25  
R50/53

Toxic by inhalation and if swallowed.

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

### Exceptional labelling

To avoid risks to man and the environment, comply with the instructions for use.

### Further information

WHO-classification: II (Moderately hazardous)

---

## 16. OTHER INFORMATION

### Further information

Text of R phrases mentioned in Section 2:

R21

Harmful in contact with skin.

R23/25

Toxic by inhalation and if swallowed.

R36/38

Irritating to eyes and skin.

R50/53

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.
--